

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L1 | 279 | (702/120).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/07 08:22 |
| L2 | 681 | (702/108).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/07 07:35 |
| L3 | 50 | (702/90).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/07 07:35 |
| L4 | 919 | (702/117).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/07 07:37 |
| L5 | 3415 | (714/733-736,738).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/07 07:37 |
| L6 | 63 | I5 and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/07 07:39 |
| L7 | 6 | I1 and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/07 07:39 |
| L8 | 1 | I2 and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/07 07:39 |
| L9 | 0 | I3 and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/07 07:39 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| L10 | 23 | I4 and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/07 07:39 |
| L11 | 10 | I4 and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) and delay\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/07 07:39 |
| L12 | 28 | I5 and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) and delay\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/07 08:02 |
| L13 | 3114 | (324/500,512,527,535,537).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/07 08:02 |
| L14 | 3 | I13 and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) and delay\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/07 08:03 |
| S1 | 1556 | (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 08:04 |
| S2 | 695 | (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) and delay\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 08:05 |
| S3 | 714 | (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) and delay\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 08:06 |
| S4 | 474 | (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) and delay\$3 and (fault\$1 or error\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 08:07 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S5 | 198 | ((((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) and delay\$3 and (fault\$1 or error\$1) and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) same delay\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 08:08 |
| S6 | 196 | ((((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) and delay\$3 and (fault\$1 or error\$1) and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) same delay\$4) and output\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 08:08 |
| S7 | 196 | ((((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) and delay\$3 and (fault\$1 or error\$1) and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) same delay\$4) and output\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 08:10 |
| S8 | 196 | ((((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) and (fault\$1 or error\$1) and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) same delay\$4) and output\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 08:17 |
| S9 | 58 | ((((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) and ((fault\$1 or error\$1) with (delay or propagat\$5)) and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) same delay\$4) and output\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 08:21 |
| S10 | 74 | ((((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) and (((fault\$1 or error\$1) with (delay or propagat\$5)) or (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with defect\$5))and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) same delay\$4) and output\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 09:22 |
| S11 | 64 | (((((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) same (((fault\$1 or error\$1) with (delay or propagat\$5)) or (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with defect\$5))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 08:32 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|----|------------------|
| S12 | 64 | (((((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) same (((fault\$1 or error\$1) with (delay\$4 or propagat\$5)) or (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with defect\$5)))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 08:33 |
| S13 | 39 | (((((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) same (((fault\$1 or error\$1) with (delay\$4 or propagat\$5)) or (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with defect\$5))) and (delay\$4 or propagat\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 08:46 |
| S14 | 22 | (((((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) same (((fault\$1 or error\$1) with (delay\$4 or propagat\$5)) or (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with defect\$5))) and ((delay\$4 or propagat\$5) with (error\$1 or fault\$3 or defect\$4)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 08:53 |
| S15 | 9 | (((((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) and delay\$4 and (response adj analyzer\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/07 07:38 |
| S16 | 13 | (((((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) and delay\$4 and (output\$1 adj2 analyzer\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 12:25 |
| S17 | 5 | agere.asn. and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) and delay\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 09:33 |
| S18 | 59 | (((((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4 with delay\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 12:25 |
| S19 | 41 | (((((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4 with delay\$3) and path\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 12:26 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|----|------------------|
| S20 | 23 | ((((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4 with delay\$3) and path\$1 and (error\$1 or fault\$3 or defect\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 12:42 |
| S21 | 17 | ((((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4 with delay\$3) and (path\$1 with (delay\$4 or time\$1 or timing\$1)) and (error\$1 or fault\$3 or defect\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 13:46 |
| S22 | 39 | (((((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) same delay\$3) and (path\$1 with (delay\$4 or time\$1 or timing\$1)) and (error\$1 or fault\$3 or defect\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 12:46 |
| S23 | 17 | (((((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) same delay\$3) and (path\$1 with (delay\$4 or time\$1 or timing\$1)) and (error\$1 or fault\$3 or defect\$4) and analyz\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 13:45 |
| S24 | 29 | ((((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4 with delay\$3) and (path\$1 with (delay\$4 or time\$1 or timing\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 14:12 |
| S25 | 18 | ((((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4 with delay\$3) and (path\$1 with (delay\$4 or time\$1 or timing\$1)) and (test\$4 with path\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 13:48 |
| S26 | 11 | ((((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4 with delay\$3) and (path\$1 with (delay\$4 or time\$1 or timing\$1)) and (data adj signal\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 14:17 |